






















20 Gallon Reef (20550A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		22
Se	0.00 µg/l	0 µg/l	-0.10		22
Cd	0.00 µg/l	0 µg/l	-0.10		22
Sn	6.18 µg/l	0 µg/l	6.08		22
Sb	0.00 µg/l	0 µg/l	-0.10		22
As	0.00 µg/l	0 µg/l	-0.10		22
Al	2.85 µg/l	2.00 µg/l	0.85		22
Pb	0.00 µg/l	0 µg/l	-0.10		22
Ti	0.00 µg/l	0 µg/l	-0.10		22
Cu	0.74 µg/l	0 µg/l	0.64		22
La	0.00 µg/l	0 µg/l	-0.10		22
Sc	0.00 µg/l	0 µg/l	-0.10		22
W	0.00 µg/l	0 µg/l	-0.10		22




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10338.00 mg/l	10700.00 mg/l	-362.00		22
Ca	400.00 mg/l	440.00 mg/l	-40.00		22
Mg	1422.00 mg/l	1370.00 mg/l	52.00		22
K	370.00 mg/l	400.00 mg/l	-30.00		22
Br	68.00 mg/l	62.00 mg/l	6.00		22
B	4.98 mg/l	4.50 mg/l	0.48		22
Sr	9.90 mg/l	8.00 mg/l	1.90		22
S	1008.00 mg/l	900.00 mg/l	108.00		22





20 Gallon Reef (20550A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	515.00 µg/l	200.00 µg/l	315.00		22
Ni	0.00 µg/l	5.00 µg/l	-5.00		22
Mo	0.00 µg/l	12.00 µg/l	-12.00		22



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		22
Zn	0.00 µg/l	4.00 µg/l	-4.00		22
Mn	0.00 µg/l	2.00 µg/l	-2.00		22
I	0.00 µg/l	60.00 µg/l	-60.00		22


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		22
Co	0.00 µg/l	0 µg/l	-0.10		22
Fe	0.00 µg/l	0 µg/l	-0.10		22

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	6.55 µg/l	10.00 µg/l	-3.45		22
Be	0.00 µg/l	0 µg/l	-0.10		22



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	205.00 µg/l	100.00 µg/l	105.00		22

20 Gallon Reef (20550A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	10.00 µg/l	6.00 µg/l	4.00		22
PO4	0.031 mg/l	0.018 mg/l	0.013		22