






















Reef Savvy 300 (24166B)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		400
Se	0.00 µg/l	0 µg/l	-0.10		400
Cd	0.00 µg/l	0 µg/l	-0.10		400
Sn	0.00 µg/l	0 µg/l	-0.10		400
Sb	0.00 µg/l	0 µg/l	-0.10		400
As	0.00 µg/l	0 µg/l	-0.10		400
Al	18.00 µg/l	2.00 µg/l	16.00		400
Pb	0.00 µg/l	0 µg/l	-0.10		400
Ti	0.00 µg/l	0 µg/l	-0.10		400
Cu	0.00 µg/l	0 µg/l	-0.10		400
La	0.00 µg/l	0 µg/l	-0.10		400
Sc	0.00 µg/l	0 µg/l	-0.10		400
W	0.00 µg/l	0 µg/l	-0.10		400




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11569.00 mg/l	10700.00 mg/l	869.00		400
Ca	466.00 mg/l	440.00 mg/l	26.00		400
Mg	1397.00 mg/l	1370.00 mg/l	27.00		400
K	449.00 mg/l	400.00 mg/l	49.00		400
Br	69.00 mg/l	62.00 mg/l	7.00		400
B	3.48 mg/l	4.50 mg/l	-1.02		400
Sr	4.53 mg/l	8.00 mg/l	-3.47		400
S	984.00 mg/l	900.00 mg/l	84.00		400





Reef Savvy 300 (24166B)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	166.00 µg/l	200.00 µg/l	-34.00		400
Ni	0.00 µg/l	5.00 µg/l	-5.00		400
Mo	9.02 µg/l	12.00 µg/l	-2.98		400



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		400
Zn	0.00 µg/l	4.00 µg/l	-4.00		400
Mn	0.00 µg/l	2.00 µg/l	-2.00		400
I	17.00 µg/l	60.00 µg/l	-43.00		400


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		400
Co	0.00 µg/l	0 µg/l	-0.10		400
Fe	0.00 µg/l	0 µg/l	-0.10		400

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	8.32 µg/l	10.00 µg/l	-1.68		400
Be	0.00 µg/l	0 µg/l	-0.10		400



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	113.00 µg/l	100.00 µg/l	13.00		400

Reef Savvy 300 (24166B)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	11.00 µg/l	6.00 µg/l	5.00		400
PO4	0.034 mg/l	0.018 mg/l	0.016		400