






















Red Sea 750xxl (18032B)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		160
Se	0.00 µg/l	0 µg/l	-0.10		160
Cd	0.00 µg/l	0 µg/l	-0.10		160
Sn	0.00 µg/l	0 µg/l	-0.10		160
Sb	0.00 µg/l	0 µg/l	-0.10		160
As	0.00 µg/l	0 µg/l	-0.10		160
Al	8.06 µg/l	2.00 µg/l	6.06		160
Pb	0.00 µg/l	0 µg/l	-0.10		160
Ti	0.00 µg/l	0 µg/l	-0.10		160
Cu	0.00 µg/l	0 µg/l	-0.10		160
La	0.00 µg/l	0 µg/l	-0.10		160
Sc	0.00 µg/l	0 µg/l	-0.10		160
W	0.00 µg/l	0 µg/l	-0.10		160




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11035.00 mg/l	10700.00 mg/l	335.00		160
Ca	476.00 mg/l	440.00 mg/l	36.00		160
Mg	1394.00 mg/l	1370.00 mg/l	24.00		160
K	387.00 mg/l	400.00 mg/l	-13.00		160
Br	59.00 mg/l	62.00 mg/l	-3.00		160
B	3.82 mg/l	4.50 mg/l	-0.68		160
Sr	9.25 mg/l	8.00 mg/l	1.25		160
S	910.00 mg/l	900.00 mg/l	10.00		160





Red Sea 750xxl (18032B)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	198.00 µg/l	200.00 µg/l	-2.00		160
Ni	2.68 µg/l	5.00 µg/l	-2.32		160
Mo	12.00 µg/l	12.00 µg/l	0.00		160



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		160
Zn	0.00 µg/l	4.00 µg/l	-4.00		160
Mn	1.12 µg/l	2.00 µg/l	-0.88		160
I	34.00 µg/l	60.00 µg/l	-26.00		160


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		160
Co	0.00 µg/l	0 µg/l	-0.10		160
Fe	0.00 µg/l	0 µg/l	-0.10		160

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	82.00 µg/l	10.00 µg/l	72.00		160
Be	0.00 µg/l	0 µg/l	-0.10		160



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	165.00 µg/l	100.00 µg/l	65.00		160

Red Sea 750xxl (18032B)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	12.00 µg/l	6.00 µg/l	6.00		160
PO4	0.037 mg/l	0.018 mg/l	0.019		160