

SAMPLE	4324018
TANK NAME	Akwarium

FINISH DATE	2024-07-28
LAB REMARKS	-

MICRONUTRIENTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
Ba	0.0387	0.0010 - 0.0400
Be	0	0 - 0.0050
Co	0.0007	0.0001 - 0.0006
Cr	0	0.0001 - 0.0004
Fe	0.0098	0.0020 - 0.0060
I	0.0507	0.0550 - 0.0700
Li	0.2290	0.1500 - 0.2000
Mn	0.0003	0.0001 - 0.0022
Mo	0.0162	0.0045 - 0.0120
Ni	0.0001	0.0010 - 0.0100
Si	0.1250	0.0200 - 2.9000
V	0.0011	0.0001 - 0.0025
Zn	0.0032	0.0010 - 0.0070

MAINELEMENTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
B	6.03	4.05 - 5.00
Na	10007	9720 - 11880
Ca	388	380 - 460
Mg	1459	1180 - 1460
K	387	360 - 420
Br	82.1	55.0 - 74.0
Sr	7.71	6.00 - 10.00
S	801	740 - 990

POLLUTANTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
Al	0.0257	0 - 0.0100
As	0	0 - 0.0030
Cd	0	0 - 0.0002
Cu	0	0 - 0.0012
Hg	0	0 - 0.0050
La	0	0 - 0.0050
Pb	0	0
Sb	0	0 - 0.0005
Sc	0	0 - 0.0050
Se	0	0 - 0.0015
Sn	0	0 - 0.0010
Ti	0	0 - 0.0100
W	0	0 - 0.0050

NUTRIENTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
PO4	0.0349	0 - 0.0300
P	0.0114	0 - 0.0100

Element	Result	Recommended level
Salinity (ppt)	34	33 - 38
KH (°dKH)	7.0	6.5 - 8.5

CLIENT REMARKS

-

Recommended actions:

- **PO4** - Level of PO4 is too high, if you want to lower it, do a water change and use Phosphate Minus and NitraPhos Minus. You can also use Pro Bio S and -NP Pro.
- **Al** - Level of aluminium is too high, if you want to lower it, do a water change. It's worth to check your RO water for contaminants.
- **B** - Level of boron is too high, if you want to lower it, do a water change
- **Co** - Level of cobalt is too high, if you want to lower it, do a water change.
- **Cr** - Level of chromium is too low. Please remember, that maximum safe daily dose is 1 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Chromium**.
Suggested dosage for your tank: **0.25 ml**
- **Fe** - Level of iron is too high, if you want to lower it, do a water change.
- **I** - Level of iodine is too low, if you want to raise it, use Iodum. Please remember, that maximum safe daily dose is 2 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Iodum**. Suggested dosage for your tank: **0.59 ml**
- **Li** - Level of lithium is too high, if you want to lower it, do a water change.
- **Mn** - Level of manganese is too low. Please remember, that maximum safe daily dose is 1 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Manganum**.
Suggested dosage for your tank: **0.43 ml**
- **Mo** - Level of molybdenum is too high, if you want to lower it, do a water change.

- **Ni** - Level of nickel is too low. Please remember, that maximum safe daily dose is 2 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Niccolum**.

Suggested dosage for your tank: **2.7 ml**

- **P** - Level of phosphorus is too high, if you want to lower it, do a water change and use Phosphate Minus or NitraPhos Minus. You can also use Pro Bio S combined with -NP Pro.

- **Br** - Level of bromine is too high, if you want to lower it, do a water change.

