






















# 180 Gallon Display (18173A)



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		180
Se	0.00 µg/l	0 µg/l	-0.10		180
Cd	0.00 µg/l	0 µg/l	-0.10		180
Sn	0.00 µg/l	0 µg/l	-0.10		180
Sb	0.00 µg/l	0 µg/l	-0.10		180
As	0.00 µg/l	0 µg/l	-0.10		180
Al	13.00 µg/l	2.00 µg/l	11.00		180
Pb	0.00 µg/l	0 µg/l	-0.10		180
Ti	0.00 µg/l	0 µg/l	-0.10		180
Cu	0.00 µg/l	0 µg/l	-0.10		180
La	0.00 µg/l	0 µg/l	-0.10		180
Sc	0.00 µg/l	0 µg/l	-0.10		180
W	0.00 µg/l	0 µg/l	-0.10		180




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10085.00 mg/l	10700.00 mg/l	-615.00		180
Ca	495.00 mg/l	440.00 mg/l	55.00		180
Mg	1343.00 mg/l	1370.00 mg/l	-27.00		180
K	360.00 mg/l	400.00 mg/l	-40.00		180
Br	33.00 mg/l	62.00 mg/l	-29.00		180
B	4.82 mg/l	4.50 mg/l	0.32		180
Sr	11.00 mg/l	8.00 mg/l	3.00		180
S	878.00 mg/l	900.00 mg/l	-22.00		180





# 180 Gallon Display (18173A)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	286.00 µg/l	200.00 µg/l	86.00		180
Ni	0.00 µg/l	5.00 µg/l	-5.00		180
Mo	39.00 µg/l	12.00 µg/l	27.00		180



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		180
Zn	0.00 µg/l	4.00 µg/l	-4.00		180
Mn	0.00 µg/l	2.00 µg/l	-2.00		180
I	0.00 µg/l	60.00 µg/l	-60.00		180


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		180
Co	0.00 µg/l	0 µg/l	-0.10		180
Fe	0.00 µg/l	0 µg/l	-0.10		180

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	12.00 µg/l	10.00 µg/l	2.00		180
Be	0.00 µg/l	0 µg/l	-0.10		180



## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	92.00 µg/l	100.00 µg/l	-8.00		180

## 180 Gallon Display (18173A)



### Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	25.00 µg/l	6.00 µg/l	19.00		180
PO4	0.077 mg/l	0.018 mg/l	0.059		180