



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		300
Se	0.00 µg/l	0 µg/l	-0.10		300
Cd	0.00 µg/l	0 µg/l	-0.10		300
Sn	0.00 µg/l	0 µg/l	-0.10		300
Sb	0.00 µg/l	0 µg/l	-0.10		300
As	0.00 µg/l	0 µg/l	-0.10		300
Al	4.39 µg/l	2.00 µg/l	2.39		300
Pb	0.00 µg/l	0 µg/l	-0.10		300
Ti	0.00 µg/l	0 µg/l	-0.10		300
Cu	0.00 µg/l	0 µg/l	-0.10		300
La	0.00 µg/l	0 µg/l	-0.10		300
Sc	0.00 µg/l	0 µg/l	-0.10		300
W	0.00 µg/l	0 µg/l	-0.10		300




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10406.00 mg/l	10700.00 mg/l	-294.00		300
Ca	570.00 mg/l	440.00 mg/l	130.00		300
Mg	1436.00 mg/l	1370.00 mg/l	66.00		300
K	539.00 mg/l	400.00 mg/l	139.00		300
Br	68.00 mg/l	62.00 mg/l	6.00		300
B	12.00 mg/l	4.50 mg/l	7.50		300
Sr	10.00 mg/l	8.00 mg/l	2.00		300
S	967.00 mg/l	900.00 mg/l	67.00		300





My Reef (17967A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	390.00 µg/l	200.00 µg/l	190.00		300
Ni	0.00 µg/l	5.00 µg/l	-5.00		300
Mo	24.00 µg/l	12.00 µg/l	12.00		300



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		300
Zn	0.00 µg/l	4.00 µg/l	-4.00		300
Mn	0.00 µg/l	2.00 µg/l	-2.00		300
I	295.00 µg/l	60.00 µg/l	235.00		300


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		300
Co	0.00 µg/l	0 µg/l	-0.10		300
Fe	0.00 µg/l	0 µg/l	-0.10		300

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	1.94 µg/l	10.00 µg/l	-8.06		300
Be	0.00 µg/l	0 µg/l	-0.10		300



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	194.00 µg/l	100.00 µg/l	94.00		300

My Reef (17967A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	3.07 µg/l	6.00 µg/l	-2.93		300
PO4	0.009 mg/l	0.018 mg/l	-0.009		300